

The "Le Rose" micro-residence, located in the province of Modena, has a state-of-the-art structure equipped with 6 mini residential accommodations in which the elderly and disabled people can carry out activities in an assisted and protected context. Entirely made of wood, the structure relies on the Platform Frame construction system to recreate small eco-sustainable and anti-seismic housing units, equipped with all active and passive systems for saving and producing energy.

# **PRODUCT SPECIFICATION**

Micro homes for senior citizens			
Localization: Medolla (Modena)  Intended use: Micro homes for senior citizens			
Total area: 400ft			
lmage not found or type unknown	I mage not found or type unknown	Image not found or type wiknown	lmage not found or type unknown
l mage not found or type ut known	l nage not found or type ut known		

# **BUILDING SYSTEM**

#### **Platform-Frame**




### Reasons for choosing the Platform-Frame system

The Platform-Frame system is ideal for building prefabricated multi-storey homes and other types of timber buildings. This system can be used to create single residential units and condominium buildings of up to four floors in elevation. That explains why this construction technique is especially suitable for timber buildings for social housing needs: structures for emergency accommodation needs and shared community spaces. The system also offers excellent insulation and antiseismic properties: it offers the highest structural coefficient of all timber construction types. It's also an economical and easy to erect system.

#### **About the Platform-Frame system**

In the Platform-Frame construction system each floor of a building functions as a platform to support the floors above. Although developed in Northern Europe, the Platform-Frame system is widely used in North America. Each wall or floor is composed of evenly spaced laminated wood or KVH structural timber studs. The building frame is covered on the exterior side by OSB structural cladding, fixed by means of ring-shank nails and metal angle brackets. The Platform-Frame system is generally built on a reinforced concrete plinth. The connection between timber building and foundations is assured by threaded steel bars or expansion anchors.



## Sede / Headquarter:

Sistem Costruzioni s.r.l. Via Montegrappa 18 - 20 41014 Solignano di Castelvetro (MO), Italy Tel. +39 059 797477 - 797591 Fax. +39 059 797646

info@sistem.it www.sistem.it

### **Sucursal Cuba**

Centro de Negocios Miramar Calle 3a e/e 76 y 78, Edificio Beijing, Piso 1, Oficina 133 Ciudad de la Habana, Cuba Tel. 0053 7 2040823

sistemcuba@enet.cu www.sistem.it